

Custom Engineered Molded Components

PLASTIC NOTIONS CATALOG

YKK

Little Parts. Big Difference.®



Backpack



LB-LW/LWD
Ultra Light Weight
Polyacetal
Sizes: 5/8", 3/4", 1", 1.5"



LB-LV
Light Weight
Polyacetal
Sizes: 5/8", 3/4", 1", 1.5", 2"



LB-YC
Light Weight
Polyacetal
Sizes: 5/8", 3/4", 1", 1.5"



LB-MV
W-Arm & Light Weight
Polyacetal
Sizes: 3/4", 1", 1.5", 2"



LB50RT
Flap Buckle
Polyacetal
Sizes: 2"



LB-S
Movable Middle Bar
Polyacetal
Sizes: 3/4", 1", 1 1/4", 1.5"



LB-PT
Wide Opening
Polyacetal
Sizes: 3/4", 1", 1.5", 2"



LB-TS/TSD
2-Way, Easy Release
Polyacetal
Sizes: 5/8", 3/4", 1", 1.5"



LB-PL
Super Strong (UL)
Polyacetal
Sizes: 1"



LB-MP
Super Strong (UL)
Polyacetal
Sizes: 1", 1.5"



LB-RU
Standard Type (UL)
Polyacetal
Sizes: 3/4", 1", 1.5", 2"



LB-WG
High Impact Resistance
Polyacetal
Sizes: 3/4", 1", 1.5", 2"



Sporting



IB-SA
Hi Performance / Quality
Polyacetal
Sizes: 1", 1.5", 2"



LB-PF
Superior Performance (UL)
Polyacetal
Sizes: 1", 1.5"



LB-SP
Light Weight
Polyacetal
Sizes: 3/4", 1"



LB-EQ
Rotatable Easy Release
Polyacetal
Sizes: 3/4"



Industrial



WB-FR
Front Release Suspender
Nylon
Sizes: 1.5", 2"



LB-FU
Low Profile Front Release
Polyacetal
Sizes: 3/4", 1", 1.5", 2"



LB-X
Easy Release
Polyacetal
Sizes: 3/4", 1", 1.5", 2"



LB-Q
Swivel & Front Release
Polyacetal
Sizes: 3/4", 1", 1.5"



LB-RS
Flat & Thin
Polyacetal
Sizes: 3/4", 1", 1.5"



LB-FW
3 Way Center Release
Polyacetal
Sizes: 1", 1 1/4"



LB-MI/MID
Interchangeable
Polyacetal
Sizes: 3/4", 1", 1.5"



LB-VS2
Non Tape Lock
Polyacetal
Sizes: 1/2", 3/4", 1"



LB-PC
Curve/Side Release
Polyacetal
Sizes: 5/8", 3/4", 1"



IB-KLM
Key Lock
Polyacetal
Sizes: 1.5"



WB-H
Easy Release Belt Buckle
Polyacetal
Sizes: 3/4", 1"



WB-HS
Easy Release Belt Buckle
Polyacetal
Sizes: 1"



LB-FR
Mini & Front Release
Polyacetal
Sizes: 3/8"



LB-LB
Mini & Side release
Polyacetal
Sizes: 5/16", 3/8"



Pet





Helmets

LA-U / S
Standard Tri-Bar Adjuster
Polyacetal
Sizes: 3/4", 1", 1.5", 2", 2 3/8"

LA-PYB
4 Way Adjuster (1X1)
Polyacetal
Sizes: 1"

LA-RH
Helmet Strap Divider
Polyacetal
Sizes: 5/8"

LA-CB
Cam Lock Buckle
Polyacetal
Sizes: 3/4", 1"

LK-L
Locatable Adjuster
Polyacetal
Sizes: 3/4", 1"



LK-KU
Strong (UL)
Polyacetal
Sizes: 1", 1.5"

LK-WG/WGS
Slip Resistant /Single Rack
Polyacetal
Sizes: 3/4", 1", 1.5", 2"

LK-U
Strong Stream Lined Design
Polyacetal
Sizes: 3/4", 1", 1.5"

LK-YC
Classic
Polyacetal
Sizes: 5/8", 3/4", 1"

LK-LV
Light-Weight
Polyacetal
Sizes: 5/8", 3/4", 1", 1.5"

LK-E
Standard Type Adjuster
Polyacetal
Sizes: 5/8", 3/4", 1"



LD-K
Snap Hook D-ring
Polyacetal
Sizes: 3/4", 1", 1.5", 2"



LD-S
Snap Hook D-Ring
Polyacetal
Sizes: 3/4", 1", 1.5"



LD-E
Standard D-Ring
Polyacetal
Sizes: 5/8", 3/4", 1", 1.5", 2"



LD-R
Sleek & Rounded D-Ring
Polyacetal
Sizes: 1"



LD-TW
Twisted Ring
Polyacetal
Sizes: 1", 1 1/4", 1.5"



Orthopaedic



LT-K
Strong Type Loop
Polyacetal
Sizes: 5/8", 3/4", 1", 1.5", 2"



LH-E
Flat Loop
Polyacetal
Sizes: 11/16", 3/4", 1", 1.5", 2"



LH-WJ
Tape Reducer (1 1/2-1")
PA
Sizes: 1.5"-1"



LH-MD
Contour Loop
PA
Sizes: 1.5", 2"



LH-MDSW
Sewable Contour Loop
PA
Sizes: 1.5", 2"



LH-MDR
Plastic Chafe Tab
Polyacetal
Sizes: 1.5"



Outdoor



LN-AR
Strong Rotating Swivel Hook
Polyacetal
Sizes: 3/4", 1", 1.5"



LN-R
Rotating Swivel Hook
Polyacetal
Sizes: 3/4", 1", 1.5", 2"



LN-AS
Smooth Rotate and High Strength
Polyacetal
Sizes: 3/4", 1/5"



LN-KH
Key Ring Hook
Polyacetal
Sizes: 1/2"



LN-Z/ZR
Key Ring Hook
Polyacetal
Sizes: 5/16", 1/2", 5/8"



1QIBC
Sewable Injected PH
TPE Material
Sizes: 1"



1QIDR
Marine Industry
POM
Sizes: 1.5"



1QIBD
Sewable Injected PH
TPE
Sizes: 1"



1QIBFA-J25
Sewable Injected PH
TPE
Sizes: 1"



BS/BR
Belt Adjuster
Polyacetal/PA
Sizes: 3.2", 4", 6"



XP-SL/RL
Waist Adjuster
Polyacetal/PA
Sizes: 4"



Jacket



LC-KW
Heavy Duty, Double or Thick Cord
Polyacetal
Size: 1/5"



LC-SHD2
Single Cord with Dual Webbing Slots
Polyacetal
Size: 1/5"



LC-SL
Single Cord
Polyacetal
Size: 1/5"



LC-SR
Single Cord
Polyacetal
Size: 1/5"



LC-SB
Compact Round Design
Polyacetal
Size: 1/5"



LC-KH
Single Cord with Webbing Slot
Polyacetal
Size: 1/5"



LC-SC
Single Cord, Flat Design
Polyacetal
Size: 1/5"



LC-WC
Heavy Duty, Double Cord
Polyacetal
Size: 1/5"



LC-RW
Dual Cord
Polyacetal
Size: 1/5"



LC-WF
Inner Lock Type Cord Stopper
Polyacetal
Size: 1/5"



LC-PS4
Compact, Single Cord with Webbing Slot
Polyacetal / PBT
Size: 1/5"



LC05SHDM2
Heavy Duty, Metal Spring with Dual Webbing Slots
Polyacetal / Stainless
Size: 1/5"



LC-MW1
Dual Cord
Polyacetal / Stainless
Size: 1/10"



LC-PE
Double or Thick Cord with Webbing Slots
Polyacetal / Stainless
Size: 1/10"



LC-MS1
Single Cord
Polyacetal / Stainless
Size: 1/5"



LC-MS3
Single Cord with Webbing Slot
Polyacetal / Stainless
Size: 1/5"



LC-MW5
Double Cord with Webbing Slot
Polyacetal / Stainless
Size: 1/5"



LC-UC
Sewable Cord Holder
TPE
Size: 1/12"



LC-US
Sewable Cord Holder
TPE
Size: 1/12"



LC-UH2
Sewable Cord Holder
TPE
Size: 1/12"



LC-EL
Sewable Cord Holder
TPE
Size: 1/12"



LR-E
Cord End Ring
Polyacetal
Size: 1/5"



LR-F
Cord End Ring
TPU
Size: 1/5"



Tactical



LC-WE
Shell Type Cord End
Polyacetal
Size: 1/10"



LE-STU
Hinge Type Dual Cord End
PA
Size: 1/10"



LE01CDH
Hinge Type Single Cord End
PA
Size: 1/10"



LE02CDH
Hinge Type Single Cord End
PA
Size: 1/10"



LE-PB
Hinge Type Single Cord End
PA
Size: 1/10"



LE-PA
Hinge Type Single Cord End
PA
Size: 1/12"



LA-SB
Slide Button
PA
Size: 5/8"



LC-TT
Tactical Toggle
TPE
Size: 1/10"



LE-D
Clip-Lock Type Tape End
Polyacetal
Size: 1"



WE-DA
Sewable Tape End
TPE
Size: 1.2", 1.5"



LE-B
Sewable Tape End
TPE
Size: 5/8", 3/4", 1"

Custom Development

Were you unable to find a product listed that meets your needs? Or perhaps you're not satisfied with your existing product? In either case, please let us know. With the support of our plastic engineers, YKK can custom design a product to meet your requirements.

> DESIGNING

With the use of CAD tools such as Pro-E, enable 3-dimensional drawing and rapid electronic exchange of information in a variety of formats.

> RAPID PROTOTYPING

The rapid prototyping system is designed to provide high quality, 3-dimensional models conveniently and quickly throughout the design process.

> FUNCTIONAL PROTOTYPING

Single cavity prototype molds are available when physical tests for production quality samples or small lot production runs are required.


> DIESET MANUFACTURING

YKK offers a variety of tooling options to meet individual cost, quality, and capacity requirements. Both domestic and Asian tooling are available as well as YKK's own In-house mold production.

> STRESS/STRENGTH ANALYSIS

Our in-house computer analysis tools help identify and correct design weaknesses, thereby reducing production downtime and retooling costs.

- Release Force and Breaking Strength Analysis



Let YKK's Field Technology Center work for you.

YKK's Field Tech Center develops methods and machinery used by our customers to integrate our fasteners into their finished products. Labor reduction, improved quality, and de-skilled operations are all benefits of this YKK service. With over 5,000 machines leased to customers in this hemisphere, it is imperative that our solutions are cost effective. The combination of outstanding products, along with the technical expertise that YKK can offer, makes YKK your leading fastening products supplier. Whether it's one of our existing solutions or a custom development, let us find a solution for your manufacturing needs.





YKK

Little Parts. Big Difference.®

PRODUCTION

With injection machines ranging from 40 to 300 tons, our global manufacturing locations enable us to meet customer requirements on time whenever and wherever they are needed. Whether you are looking for a domestic manufacturer to reduce lead times or need products delivered to anywhere in the world, YKK can help.

QUALITY

With awareness that quality is of the utmost importance, YKK regularly invests in training and continuous improvements from development to production. YKK's offering of several UL certified products along with our ISO 9001 certification are just two examples of YKK's commitment to quality. Whether you need to meet UL, NFPA, military, automotive, or other specifications - you can rely on YKK for your inspection molded needs.

ENVIRONMENT

We promote environmentally friendly measures in all our activities. From product design to manufacturing we make sure that we are doing our part to help recycle within our plants and offices. YKK is also certified by ISO 14001.

Contact Locations www.ykknorthamerica.com

East North Region Rutherford

Tel: 201-935-4200
Fax: 201-964-0123

East South Region Atlanta

Tel: 770-427-5521
Fax: 770-421-8150

Central Region Dallas

Tel: 972-943-7770
Fax: 972-943-5938

Western Region Anaheim

Tel: 714-701-1200
Fax: 714-701-1290

CANADA YKK Canada Inc. Montreal

Tel: (1) 514-332-3350
Fax: (1) 514-332-9140

MEXICO YKK Mexicana S.A. de C.V. Irapuato

Tel: (52) 462-623-8100
Fax: (52) 462-623-8128

EL SALVADOR YKK El Salvador S.A. de C.V. San Salvador

Tel: (503) 2319-1100
Fax: (503) 2319-1190/70/81

GUATEMALA YKK El Salvador S.A. de C.V. - Guatemala Branch Amatitlan


Tel: (502) 6644-0644
Fax: (502) 6644-0645

NICARAGUA YKK El Salvador S.A. de C.V. Nicaragua Branch

Tel: (505) 8470-6000

HONDURAS YKK Honduras S.A. San Pedro Sula

Tel: (504) 2553-3164
Fax: (504) 2553-4427



"YKK" and the combined mark of "YKK Little Parts. Big Difference." are registered trademarks of YKK CORPORATION in Japan and other countries/regions.

Fastening Products Group

© 2016 YKK (U.S.A.) Inc.
Printed in U.S.A. Sept 2016 TAK